

Receiving Report

Date: 13/05/10

Batch No: 425092

Supplier: TIK886K

Dart P/O: 19834

Packing Slip: Yes ☒ No ☐

Invoice: Yes ☐ No ☒

Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐

Waybill Attached: Yes ☒ No ☐ N/A ☐

Shipment Complete: Yes ☒ No ☐ N/A ☐

QC6 Inspection OK 13/05/12 N/A ☒

Work Order ☐ N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12

Production/Admin:

Date 13/05/10

Received/Costing

Initial

Location

Purchase Order Receipt Listing

Friday, May 10, 2013 2:17:54 PM

All amounts are calculated in domestic currency.

All Vendors PO ID po19834 All Receipt Dates All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd											
PO19834	1		M6061T6B2.000X03. f		5/13/2013	5/10/2013	12.0000	\$16.71	0.0000	0	\$200.51
CAD	No		6061-T6 Bar 2.00 x		12.0000	DESJ02		\$200.51	0.0000	0	
	2		M6061T6B1.000X06. f		5/13/2013	5/10/2013	12.0000	\$14.23	0.0000	0	\$170.73
	No		6061T6 BAR 1.00 X f		12.0000	DESJ02		\$170.73	0.0000	0	
	3		M6061T6B0.500X05. f		5/13/2013	5/10/2013	72.0000	\$5.96	0.0000	0	\$428.80
	No		6061-T6 Bar .500 x f		72.0000	DESJ02		\$428.80	0.0000	0	
	4		M6061T6B0.500X10. f		5/13/2013	5/10/2013	24.0000	\$11.66	0.0000	0	\$279.91
	No		6061-T6 Bar .500 x f		24.0000	DESJ02		\$279.91	0.0000	0	
	5		M6061T6H1.000 f		5/13/2013	5/10/2013	24.0000	\$1.99	0.0000	0	\$47.64
	No		6061-T6 HexBar 1.00 f		24.0000	DESJ02		\$47.64	0.0000	0	
	6		M303B0.750X1.500 f		5/15/2013	5/10/2013	12.0000	\$18.81	0.0000	0	\$225.72
	No		303 BAR .750" X 1.500"		12.0000	DESJ02		\$225.72	0.0000	0	

Total Received Quantity: 156.0000
Total Qty to Inspect (PO U/M): 0.0000
Total Reject Quantity: 0.0000
Total Receipt Value: \$1,353.31
Total Balance Due Quantity: 0.0000

12.0000
4/30/13

39

B I L L O F L A D I N G

No: PEC 821878

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 10May13 at 11:05 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

525

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-565382- 1 Your PO # 19834
STAINLESS STEEL FLAT BAR 303CD

750" X 1.50" X 147.0000"

Heat Number
253957

Tag No
559931

MTR

Quantity	PCS	Wt LBS
12 ' 3.0000 "	1	47

Tags	PCS	LBS
1	1	47

ADD ON TO 565364 SUR-CHARGE ADDED SHIP TOGETHER

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 1 BDL G.W. 47 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***

**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE
RAPPORTÉES IMMEDIATEMENT

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

1-7741
1-BDI
43/07/13
02

[Handwritten signature]

Ship From: B I L L O F L A D I N G
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

No: PEC 821878
Ship Date 10May13 at 11:05 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

===== B I L L O F L A D I N G =====
ADDED TO EVERY ORDER.***

Page: 2 Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE
RAPPORTÉES IMMÉDIATEMENT

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER

54-180603

Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1

38100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Clienti / Besetler/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Hersteller/Usine producer

Avviso di Spedizione: D-VI12024711
Lieferanz/Packing list/B.L.

Certificato nr: MEST236089/2012/
Prüfung/Test/Essai

Conferma ordine nr: E112006665
Werkz/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice



Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Pointon de l'assesseur



Stato di fornitura: - Annealed Cold Drawn
Lieferzustand/Delivery state/Etat de livraison

Tipo di Elaborazione: E+AOD
Erneuerung/Erneuerung/Mode d'elaboration

Specifiche:
Anforderungen / Requirements / Exigences
VSI 0 303 A,CF
AMS 5640 U TYPE1 A
ASTM A320 2011A B8F (1)
MIL-S-862 B/1 303

AISI 303
ASME SA320 2010 B8F (0)
ASTM A370 2011A
QQ-S-764 B/2 303 A

AMS 5640 U S30300 A
ASTM A314 2008 S30300
ASTM A582 2012 S30300 A

(0) SEC.II F.T.A 2010 EDITION ADD. 2011a
(1) Chemical analysis only.

(0) Chemical analysis only.

Qualità: 303
Werkstoff/Grade/Usine

Marca: AU188Z/P

Tolleranza: ASTM A484-11
Toleranz/Allowance/Tolerance

Punzonatura: 303
Kennzeichnung/Marking/Marquage

Pos. nr. Pos. nr. N.º de posic.	Oggetto Gegenstand Product description Descript. du produit	Dimensioni - in Abmessungen Dimensions Unité de mesure	Lunghezza - in Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Loehr. Lot nr. Lot nr.
0030	Flat	1,5000 x 0,7500	146 / 147	253957		3.762	100302060

TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf lieferbarem produkt test a l'etat de fourniture Prueba sobre el material así como entregado

TEST	Provetta/Probosc Applique/Eprouvette Lap. diam. Spec. Brake Disc. Diale Wash Disc. Thickness Lap. diam. spec. mm	Posiz. Skoplo Prüfung Lagepunkt	Snervamento Bruchgrenze Yield Stress Rp 0,2% k.s.i.	Snervamento Bruchgrenze Yield Stress Limite élastique Unité élastique	Resistenza Zugfestigkeit Tensile strength Resistance à traction Rm k.s.i.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Einschnürung Reduction of area Striction RA %	Resilienza Kerbschlagenergie Impact Value Resilience	Durezza Härte Hardness Dureté HB
	Valori richiesti / Anforderungen/Required value Valeurs demandées	min max							
A	12,5	68 L	74		101	40	52		140 255

TEST	min	max
A Grain size for ASTM E112		5

Mechanical properties according to ASTM A370.

(L=longitudinale/Länge, T=transversalequer, Q=Transversale/longitudinal)

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Heat Schmelze/Coulee	min - max 0,150	1,00	1,50 2,00	17,00 19,00	0,80	1,00	8,00 10,00	-	0,100	0,25 0,35	0,400	-	-	-	-
253957	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	Zr %				
	0,030	0,27	1,75	17,32	0,39	0,47	8,05	0,125	0,030	0,28	0,005				

Produced without class I-II Ozone depleting substances.
Solution heat treated free from continuous carbide network.
Annealing temperature: 1940°F for 1 h/water.
Micro and macro etch test: OK
Material is DFARS Compliant

Controllo antimescolanza: OK
Verwechslungsprüfung: spezialanalytisch durchgeführt
Antimixing testing performed: OK
Contrôle antimeslange fait: r.s.s.

Controllo visivo e dimensionale: soddisfa le esigenze
Beachtung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional check/satisfactory
Contrôle visuel et dimension: satisfaisant

Sono state soddisfatte tutte le condizioni richieste
Die gesamten Anforderungen sind lt. Anlage erfüllt
The material has been finished in accordance with the requirements
Le matériel a été traité conforme aux exigences

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination
We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.
The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s. 4.3 by TUEV and LLOYD'S

Vicenza, 31/08/12
VCO08
(Mod. MCE2)

Il collaudatore di stabilimento / der Werkssachverständiger / Works inspector / L'agent d'usine
M. Rizzotto

Pagina - 1 di 2

John R. Zambetti

From: ThyssenKrupp Materials NA
Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2402469888
CstAr
Wgt.: 47.000 LB
CstOr PEC# 248387
Date 05/09/2013

Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Clients / Besetzer/Purchaser/Clients
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Item/Usine products

Stato di fornitura: - Annealed Cold Drawn
Lieferzustand/Delivery state/Etat de livraison



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

Avviso di Spedizione: D-VI12024711
Lieferanzeige/Packing list/B.L.

Ordine nr: 33881 STOCK CAROL STR
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD
Erhitzungsart/Melting process/Mode d'elaboration

CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1

Certificato nr: MEST236089/2012/
Prüfung/Test/Essai

Conferma ordine nr: EI12006665
Verifiz/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferanten
Trade mark
Sigle de l'usine productrice



Firma del Collaudatore:
Stempel des Werkssachverständigen
Inspector's stamp/Plombon de l'inspecteur



Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.
The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 31/08/12

VOC008

[Mod. MCE2]

Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 2 di 2

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2402469888

CstAr

CstOr PEC# 248387

Wgt.: 47.000 LB

Date 05/09/2013

John L. Zambetti

COPPER AND BRASS SALES**MATERIAL TYPE****STAINLESS STEEL****AISI SERIES****200 300 400****AND****PRECIPIT HARDENING GRADES****"WARNING"**

INHALATION OF FUMES, FRESHLY GENERATED BY THE WELDING OF STAINLESS STEEL CONTAINING ONE OR MORE OF THE FOLLOWING INGREDIENTS, ZINC, MAGNESIUM OR COPPER, ARE KNOWN TO CAUSE METAL FUME FEVER. INHALATION OF DUST OR FUME FROM STAINLESS STEEL CONTAINING ONE OR MORE OF THE FOLLOWING INGREDIENTS, ALUMINUM, IRON, MANGANESE, SELENIUM, OR TIN, HAS ALSO BEEN REPORTED TO CAUSE METAL FUME FEVER AND MAY CAUSE IRRITATION TO THE RESPIRATORY TRACT AND/OR AGGRAVATE PRE-EXISTING CONDITIONS. TARGET ORGAN IS PRIMARILY THE LUNG.

THIS PRODUCT MAY CONTAIN CHROMIUM, NICKEL OR COBALT. EXPOSURE TO DUST OR FUME MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS AND KIDNEY AND LIVER DAMAGE. UNDER HIGH TEMPERATURES, HEXAVALENT CHROMIUM MAY BE PRODUCED. IF IN THE INSOLUBLE FORM, IT IS A CONFIRMED HUMAN CARCINOGEN. THIS PRODUCT MAY ALSO CONTAIN NICKEL AND COBALT. INHALATION OF NICKEL OR COBALT DUST OR FUME MAY RESULT IN INFLAMMATION OF THE RESPIRATORY TRACT. NICKEL AND COBALT HAVE BEEN IDENTIFIED AS POTENTIAL HUMAN CARCINOGENS.

IF COATED WITH OIL, MAY CAUSE SKIN IRRITATION/DERMATITIS BY CONTACT. WELDING FUME IS LISTED AS A POSSIBLE CARCINOGENIC TO HUMANS.

READ THE STAINLESS STEEL MATERIAL SAFETY DATA SHEET (MSDS) ON FILE WITH YOUR EMPLOYER BEFORE WORKING WITH THIS MATERIAL.

* If processing or recycling produces particulate, use exhaust ventilation or other controls designed to prevent exposure to workers. Examples of such activities include melting, welding, grinding, abrasive sawing, sanding and polishing. Any activity which abrades the surface of this material can generate airborne particulate. Use appropriate NIOSH approved respiratory protection (P95; P100 for lead with, quantitative fit testing required) if exposures exceed the permissible limits.

* The Occupational Safety and Health Administration (OSHA) have set mandatory limits on occupational exposures.

* Stainless steel, in solid form and as contained in finished products presents no special health risk.

* Sold for manufacturing purposes only. This product can be recycled; contact your sales representative.

The Occupational Safety and Health Administration require employers to provide training in the proper use of this product.

For additional information, call or write to Copper and Brass Sales, 22355 West Eleven Mile Road, Southfield, MI 48033, telephone 248-233-5600, or visit our web site @ www.copperandbrass.com.

STAINLESS STEEL LABEL NO. 200

ISSUED 10/01/2008



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19834

Purchase Order Date 5/8/2013

PO Print Date 5/8/2013

Page Number 1 of 3

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275, POSTAL "A"
TORONTO, ON M5W 5V8
CA

Contact Name

Vendor Phone 905 669 9444

Vendor Fax 905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

M/20592

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
C613/05/03

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M6061T6B2.000X03.500	6061-T6 Bar 2.00 x 3.50	5/13/2013 Yes	12.00 f	Yours ppd	\$16.8333	\$202.00 ✓
		Special Inst: MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221					
2	M6061T6B1.000X06.000	6061T6 BAR 1.00 X 6.00	5/13/2013 Yes	12.00 f	Yours ppd	\$14.3333	\$172.00 ✓
		Special Inst: MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221					

6/3/13/10

PO Instructions: NO PEC ST-564517
NO PEC ST-565145

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required YES NO

Change Nbr: 1

Change Date: 5/8/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO19834**

Purchase Order Date 5/8/2013

PO Print Date 5/8/2013

Page Number 2 of 3

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"
TORONTO, ON M5W 5V8
CA

Contact Name

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

3	M6061T6B0.500X05.000	6061-T6 Bar .500 x 5.00	5/13/2013 Yes	72.00 f	Yours ppd	\$6.0000	\$432.00
---	----------------------	-------------------------	------------------	------------	-----------	----------	----------

Special Instr: MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8
OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR
AMS 4160 OR ASTM B211 OR ASTM B221

4	M6061T6B0.500X10.000	6061-T6 Bar .500 x 10.00	5/13/2013 Yes	24.00 f	Yours ppd	\$11.7500	\$282.00
---	----------------------	--------------------------	------------------	------------	-----------	-----------	----------

Special Instr: MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8
OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR
AMS 4160 OR ASTM B211 OR ASTM B221

5	M6061T6H1.000	6061-T6 HexBar 1.00	5/13/2013 Yes	24.00 f	Yours ppd	\$2.0000	\$48.00
---	---------------	---------------------	------------------	------------	-----------	----------	---------

Special Instr: MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM HEX BAR
SPEC: QQ-A-225/8 OR AMS-QQ-A-225/8
(OR AMS4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR
AMS 4160) OR ASTM B211 OR ASTM B221

PO Instructions: NO PEC ST-564517
NO PEC ST-565145

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required **YES** NO

Change Nbr: 1

Change Date: 5/8/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO19834**

Purchase Order Date 5/8/2013

PO Print Date 5/8/2013

Page Number 3 of 3

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275, POSTAL "A"
TORONTO, ON M5W 5V8
CA

Contact Name

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

6

M303B0.750X1.500

303 BAR .750" X 1.500"

5/15/2013

Yes

12.00

f

Yours ppd

\$18.9500

\$227.40

Special Inst:

MATERIAL: AISI 303 SS BAR AS PER
ASTM A582
NOTE: 304/316 NOT ACCEPTABLE

PO Total:

\$1,363.40

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

PO Instructions:

NO PEC ST-564517
NO PEC ST-565145

Change Nbr:

1

Change Date: 5/8/2013

No substitution or deviation without
consent.

Certificate of Conformity or Material
Certification required - YES NO